



# SHALIMAR TRADING

SERVING SINCE 2003



Suzuki's "Way of Life!" is the heart of our brand - every Suzuki vehicle, motorcycle and outboard motor is built to create excitement so customers can enjoy everyday life.



Standard and optional equipment available may vary for individual markets. Please enquire at your dealers, as specifications and illustrations may refer to models not available in your region. SUZUKI MOTOR CORPORATION reserves the right to change, without notice, prices, colours, materials, equipment, specifications and models, and also to discontinue models.

All photographs in this brochure were taken with relevant permission. Images of the vehicles without number plates on public roads are composite photos.

## SUZUKI MOTOR CORPORATION

300 Takatsuka-cho, Minami-Ku, Hamamatsu-shi, Shizuoka 432-8611 JAPAN  
[www.globalsuzuki.com](http://www.globalsuzuki.com)

JIMNY(2018) SPEC AND EQUIPMENT SHEET (G)  
99999-1B001-001



Way of Life!



# JIMNY

## Major Specifications and Equipment





GLX



GL



GA



■ Exterior colour



Two-tone colours Kinetic Yellow + Bluish Black Pearl 3 (D65)



Two-tone colours Chiffon Ivory Metallic + Bluish Black Pearl 3 (2BW)



Single-tone colours Bluish Black Pearl 3 (ZJ3)



Single-tone colours Silky Silver Metallic (Z2S)



Two-tone colours Brisk Blue Metallic + Bluish Black Pearl 3 (CZW)



Single-tone colours Jungle Green (Z2C)



Single-tone colours Medium Gray (ZVL)



Single-tone colours Superior White (26U)

## Major Equipment

Engine	Petrol			
	1.5L			
Drive system	Part-time 4WD (ALLGRIP PRO)			
Transmission	SMT	SMT/ LAT	4AT	
Grade	GA	GL	GLX	
<b>CHASSIS</b>				
Tyres and wheels	195/80R15 + steel wheels	S	-	-
	195/80R15 + alloy wheels	-	S	S
Spare tyre and wheel	195/80R15 + steel wheel	S	-	-
	195/80R15 + alloy wheel	-	S	S
<b>EXTERIOR</b>				
Front grille	Black colour	S	S	S
Wheel arch extensions	Material colour	S	S	S
Drip rails	S	S	S	
Outside door handles	Body colour	-	-	S
Tailgate opener	Key	S	-	-
	Centre door lock	-	S	S
<b>VISIBILITY</b>				
Headlamps	Halogen multi-reflector	S	S	-
	LED projector	-	-	S
Headlamp levelling device	Manual	-	-	S
Automatic lamps	-	-	-	S
Lamp washer	-	-	-	S
Fog lamps	Front	-	S	S
Green-tinted windows	Front door windows	S	S	S
	Quarter & tailgate windows	S	S	S
UV-cut glass	Windscreen	S	S	S
Wipers	Front: 2-speed (low, high) + intermittent + washer	S	S	S
	Rear: 1-speed + washer	S	S	S
Tailgate window demister	S	S	S	
Outside door mirrors	Black (painted)	-	-	S
	Electrically adjustable	-	S	S
Day / night rearview mirror	Manual dimming	S	S	S
<b>STEERING AND INSTRUMENT PANEL</b>				
3-spoke steering wheel	Urethane	S	S	-
	Leather covered	-	-	S
	With audio controls	S	-	S
	With cruise control	S	-	S
	With hands-free phone control	-	O <sup>1</sup>	O <sup>1</sup>
	Tilt-adjust	S	S	S
Power steering	S	S	S	
Tachometer	S	S	S	
Light-off and key reminder	Alarm	S	S	S
Driver's seatbelt reminder	Lamp & alarm	S	S	S
Door ajar reminder	Lamp	S	S	S
Low fuel warning	Lamp	S	S	S
<b>DRIVING AMENITIES</b>				
Digital clock	S	S	S	
Electric windows (Front)	Driver's side (up/down auto)	-	S	S
	Passenger's side	-	S	S
Central door locking (including tailgate)	Switch (driver's side)	-	S	S
Remote-control door locks	With hazard lamp answerback function	-	S	S
Air conditioner	Manual	S	S	-
	Auto	-	S	S
Heater	-	-	S	S
Pollen filter	S	S	S	
Audio	Antenna (mounted at rear of roof)	S	S	S
	Speaker x 2	S	S	S
	Audioless(2DIN Garnish w/o box)	S	S	S
	MP3/WMA compatible CD player + Bluetooth**	-	O <sup>1</sup>	O <sup>1</sup>
	Smartphone linkage display audio + Bluetooth**	-	-	O <sup>2</sup>
Cruise control	-	-	-	S

Engine	Petrol			
	1.5L			
Drive system	Part-time 4WD (ALLGRIP PRO)			
Transmission	SMT	SMT/ LAT	4AT	
Grade	GA	GL	GLX	
<b>INTERIOR</b>				
Cabin lights	Front cabin light (3-position)	S	S	S
	Rear cabin light (3-position)	-	-	S
Driver's sun visor	-	S	S	S
	With ticket holder	-	-	S
	With vanity mirror	-	-	S
Passenger's sun visor	-	S	S	S
	With ticket holder	-	-	S
	With vanity mirror	-	-	S
Assist grips	Passenger's side	S	S	S
	Rear x 2	S	S	S
Cup holder	Centre console	S	S	S
Shift knob	Urethane	S	S	-
	With chrome	-	S (MT)	-
	With piano black	S	S (AT)	S
Parking brake release button	Black	S	-	-
	Chrome	-	S	-
12V interior accessory socket	Centre console x 1	S	S	S
	Luggage room x 1	-	-	S
USB socket	Centre console x 1	-	O <sup>1</sup>	O <sup>2</sup>
Remote fuel lid opener	S	S	S	S
Inside door openers	Chrome	S	S	S
<b>SEATS</b>				
Front seats	Walk-in mechanism (passenger's side)	S	S	S
Rear seat	50/50-split single-folding	-	S	S
	Head restraints x 2	S	S	S
Seat upholstery material	Fabric	S	S	S
<b>LUGGAGE AREA</b>				
Luggage Box (for Flat Floor)	-	-	S	
<b>SAFETY AND SECURITY</b>				
SRS front dual airbags	S	S	S	
Seatbelts	Front: 3-point ELR seatbelts x 2 with pretensioners and force limiters	S	S	S
	Rear: 3-point ELR seatbelts x 2	S	S	S
ISOFIX child seat anchorages	Rear*2	S	S	S
Pedal Release System	Brake & clutch	S	S	S
Side impact door beams	S	S	S	
ABS	S	S	S	
ESP**	S	S	S	
Hill hold control	S	S	S	
Hill descent control	S	S	S	
Brake assist function	S	S	S	
Shift lock/key interlock (AT)	-	S (AT)	S	
High-mount stop lamp	S	S	S	
Immobilizer	S	S	S	

S : Standard O : Option - : Not Available  
O<sup>1</sup> - O<sup>2</sup>: Set option  
\* Bluetooth is a registered trademark of Bluetooth SIG, Inc.  
\*\*ESP is a registered trademark of Daimler AG.

## Major Specification

Number of doors	3		
Engine	Petrol		
	1.5L VVT		
Drive system	Part-time 4WD (ALLGRIP PRO)		
Transmission	SMT	4AT	
<b>DIMENSIONS</b>			
Overall length	mm	3,480	
	Front bumper to rear bumper	3,625	
	Front bumper to spare wheel	1,645	
Overall width	mm	1,645	
Overall height	mm	1,725	
Wheelbase	mm	2,250	
Tread	mm	1,395	
	Front	1,405	
	Rear	-	
Minimum turning radius	m	4.9	
Minimum ground clearance	mm	210	
Approach angle	deg.	37	
Ramp breakover angle	deg.	28	
Departure angle	deg.	49	
<b>CAPACITIES</b>			
Seating capacity	persons	4	
Luggage capacity	litres	830	
	Max. volume	377*	
	Rear seatback folded (VDA method)	85*	
	Rear seatback raised (VDA method)	40	
Fuel tank capacity	litres	40	
<b>ENGINE</b>			
Type	K15B		
Number of cylinders	4		
Number of valves	16		
Piston displacement	cm <sup>3</sup>	1,462	
Bore x stroke	mm	74.0 x 85.0	
Compression ratio	10		
Maximum output	kW/rpm	75/6,000	
Maximum torque	N·m/rpm	130/4,000	
Fuel distribution	Multipoint injection		
<b>TRANSMISSION</b>			
Type	SMT		
Gear ratio	1st	4.425	2.875
	2nd	2.204	1.568
	3rd	1.674	1.000
	4th	1.190	0.697
	5th	1.000	-
	Reverse	5.151	2.300
Final gear ratio	4.090		
Transfer gear ratio	High	1.000	1.320
	Low	2.002	2.644
<b>CHASSIS</b>			
Steering	Recirculating ball		
Brakes	Front	Solid disc	
	Rear	Drum, leading and trailing	
Suspension	Front	3-link rigid axle with coil spring	
	Rear	3-link rigid axle with coil spring	
Tyres	195/80R15		
<b>WEIGHTS</b>			
Kerb weight (min./with full options)	kg	1,090/1,135	1,110/1,135
Gross vehicle weight	kg	1,435	-
<b>PERFORMANCE</b>			
Maximum speed	km/h	145	140

All figures are manufacturer's data and may vary for each market.  
\* Measured without luggage box.

