## S

## Shalimar Trading Suzuki Ciaz

#### Specifications features list Exterior

	Sigma	Delta	Zeta	Alpha
Halogen Projector Headlamps	✓		_	_
LED Projector Headlamps				<u></u>
Integrated LED Daytime Running Lamps (DRL)	_		<b>✓</b>	<b>~</b>
Split Rear Combination Lamps	✓		✓	✓
LED Rear Combination Lamps			✓	✓
Alloy Wheels#		185/65 R15	185/65 R15	195/55 R16
Chrome Accents on Front Grille	✓	✓	✓	
Trunk Lid Chrome Garnish		<u></u>	<u></u>	
Door Beltline Garnish				✓
Glass Antenna	~	<b>~</b>	✓	
Body Coloured ORVMs with Turn Indicators	~	<b>~</b>	~	<b>~</b>
Body Coloured Door Handles	~	✓	Chrome	Chrome
Front Fog Lamp Ornament	Black	Silver	Silver	Chrome
Rear Reflector Ornament		Silver	Silver	Chrome
Wheel Cap	<b>✓</b>		_	_

<sup>#</sup> Spare wheel material is steel & spare tyre size is 185/65 R15.



#### Specifications features list Interior

	Sigma	Delta	Zeta	Alpha
Leather Seat Upholstery##	_	_		<b>√</b>
Leather Wrapped Steering Wheel	_	_	_	~
Chrome Garnish (Steering Wheel, Inside Door Handles, AC Louvers Knob, Parking Brake Lever)	~	~	~	~
MID (With Coloured TFT)¥	✓	~	✓	✓
ECO Illumination (Petrol)	✓	<b>√</b>	✓	✓
Wooden finish on I/P and Door Garnish	~	~	~	~
(Satin Chrome Finish)				(Satin Chrome Finish)
Satin Finish on AC Louvers	Front + Center	Front	Front + Rear	Front + Rear
Rear Seat Adjustable Headrest	_	_	~	✓
Chrome Finish on Floor Console	_	~	~	~

<sup>##</sup> Some parts of the Leather Appointed Seat Upholstery will contain man-made material.

<sup>\*</sup> Available in K15 Smart Hybrid and DDiS 225 Engine options only.



#### Specifications features list Comfort & Convenience

Sigma		Delta	Zeta	Alpha	
Intelligent Key (Push Start / Stop)			✓	~	
Cruise Control				~	
Electrically Adjustable ORVMs	<b>✓</b>	~	~	~	
Electrically Foldable ORVMs			✓	~	
Keyless Entry	✓	✓	✓	✓	
Power Windows (Dr. side Auto Up/Down with Anti-pinch)	✓	~	~	~	
Auto AC	Manual	✓	✓	✓	
Rear AC Vents	✓	✓	✓	✓	
Pollen Filter	✓	✓	~	✓	
Front Centre Armrest (With Utility Box)	~	~	~	~	
Rear Centre Armrest (With Cup Holders)	~	~	~	~	
Height Adj. Driver Seat	_	~	~	~	
Rear Sunshade	_	_	_	~	
Footwell Lamps (Driver +	_	_	~	~	
Passenger side)					
Rear Reading Lamps	_	_			
Sunglass Holder	<del>-</del>	<del>-</del>			
Accessory Socket (Front and Rear)					
Tilt Steering					<b>~</b>



### Specifications features list Audio/Infotainment

	Sigma	Delta	Zeta	Alpha
17.8 cm Touchscreen SmartPlay Infotainment System	<u> </u>	_	_	~
Bluetooth Connectivity	✓	✓	✓	✓
Inbuilt Navigation System	<u> </u>	<u> </u>	<u> </u>	<b>~</b>
Mirror Link support for SmartPhone Connectivity	_	_	_	<b>✓</b>
Voice Command System	<u> </u>	_	_	✓
Audio with CD Player	✓	✓	✓	<u> </u>
Speakers + Tweeters (4 + 2 Nos.)	~	~	✓	<b>~</b>
USB Connectivity	~	✓	✓	<b>~</b>
Steering Mounted Audio Controls	~	~	✓	<b>~</b>
Steering Mounted Calling Controls	~	~	✓	<b>~</b>



#### Specifications features list Safety

	Sigma	Delta	Zeta	Alpha
Automatic Headlamps (With Auto Levelling)	_	_	~	<b>~</b>
Front Fog Lamps	_	~	LED	LED
Rear Defogger	~	~	✓	✓
Auto Day/Night IRVM	Manual	Manual	(With camera display)	✓
Reverse Parking Sensor	~	~	✓	✓
Reverse Parking Camera		_	✓	~
Anti-theft Security System	~	~	✓	<b>~</b>
Electronic Stability Program with Hill-hold	_	AT only	AT only	AT only
Seat Belt Reminder (Driver + Passenger)	~	~	~	~
Speed Alert System##	~	~	✓	~

<sup>##</sup> The speed alert system gives audible warning for alert of over-speed to driver. When vehicle speed exceeds about 80 km/h, primary level warning with two beeps will sound every minute. When the vehicle speed exceeds about 120 km/h, secondary level warning with continuous beeps will sound. If the vehicle speed is slowed down to about 118 km/h, primary warning will resume. If the vehicle is slowed down to about 78 km/h, speed alert warning will stop. This buzzer does not indicate any malfunction in the vehicle.



## Specifications Technical Specifications Dimensions

	K15 Smart Hybrid	DDiS 225	DDiS 200 Smart Hybrid
Length (mm)	4490	4490	4490
Width (mm)	1730	1730	1730
Height (mm)	1485	1485	1485
Wheelbase (mm)	2650	2650	2650
Boot Space (L)	510 <sup>*</sup>	510 <sup>*</sup>	510 <sup>*</sup>
Turning Radius (m)	5.4	5.4	5.4
Seating Capacity	5	5	5

<sup>\*</sup>VDA Method.



#### Specifications Technical Specifications Drive & Transmission

K15 Smart Hybrid	DDiS 225	DDiS 200 Smart Hybrid	
Drive System	2WD	2WD	2WD
Transmission	5MT/4AT	6MT	5MT



## Specifications Technical Specifications Engine

	K15 Smart Hybrid	DDiS 225	DDiS 200 Smart Hybrid
Valve System	DOHC	DOHC	DOHC
Engine Capacity (cc)	1462	1498	1248
Bore x Stroke (mm)	74 x 85	77 x 80.4	69.6 x 82
Max. Power (kW/RPM)	77/6000	70/4000	66/4000
Max. Torque (Nm/RPM)	138 / 4400	225/1500-2500	200/1750
Fuel Tank Capacity (L)	43	43	43
Fuel-Efficiency (km/l)**	21.56(MT) / 20.28(AT)	26.82	28.09
Emission Standard	BS IV	BS IV	BS IV
Idle Stop Start	✓	_	~
Gear Shift Indicator	✓(MT)	✓	✓
Brake Energy Regeneration	✓	_	✓
Torque Assist	✓	_	✓

<sup>\*\*</sup>As Certified by Test Agency Under Rule 115 of CMVR 1989.



## Specifications Technical Specifications Drive Performance

	K15 Smart Hybrid	DDiS 225	DDiS 200 Smart Hybrid
Front Brakes	Ventilated Disc	Ventilated Disc	Ventilated Disc
Rear Brakes	Drum	Drum	Drum
Front Suspension	McPherson	McPherson	McPherson
Rear Suspension	Torsion Beam	Torsion Beam	Torsion Beam
Tyre Size	185/65 R15 (Steel & Alloy 195/55 R16 (Alloy)	185/65 R15 (Alloy 195/55 R16 (Alloy)	185/65 R15 (Steel & Alloy 195/55 R16 (Alloy)

# Shalimar Trading Suzuki Ciaz Specifications Technical Specifications Weights

	K15 Smart Hybrid	DDiS 225	DDiS 200 Smart Hybrid
GVW (kg)	1520 (MT)/1530 (AT)	1590	1590